

Fig. 1







Fig. 2



F i g . 3




(Probe and target when the base interval is zero base)



(Probe and target when the base interval is 16 bases)

Fig. 4



F i g . 5





Fig. 6




Fig. 7




Fig. 8







Fig. 9



A : 35 - nucleotides - chained deoxyriboligonucleic acid probe

B : 35 - nucleotides - chained 2 - O - Me probe

C : 17 - nucleotides - chained deoxyriboligonucleic acid probe

D : 17 - nucleotides - chained 2 - O - Me probe

HP : Helper probe

HP + (M) : Helper probe + 2 - O - Me probe

HP + (D) : Helper probe + deoxyribooligonucleotide probe

Ref. : Reference

Fig. 10




Fig. 11




Fig. 12





Fig. 13



F i g . 1 4




Fig. 15




Fig. 16






Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22






Fig. 23



F i g . 2 4





F i g . 2 5






Fig. 26



F i g . 2 7





F i g . 2 8




Fig. 29




Fig. 30






Fig. 31




F i g . 3 2





F i g. 3 3



F i g . 3 4




Fig. 35




Fig. 3-6




Fig. 37




Fig. 38




Fig. 39

